

View Online at <https://aerobasegroup.com/nsn/6680-00-139-8287>

**Overall Depth:**

2.750 inches

**Overall Height:**

6.250 inches

**Overall Width:**

6.000 inches

**Carrying Case:**

Provided

**Accessory Components And Quantity:**

Meter 6006ap 1; range selector 6030cp 1; range selector 6030dp 1; lo-flow probe 6050p 1; pitot probe 6060p-12 1; diffuser probe 6070p 1; static pressure probe 6080ap 1; static pressure probe 6080cp 1; hose 2161 2; carrying case 1010a

**Smallest Increment Indicated:**

0.1

**Instrument Calibration Range:**

50 to 10, 000 fpm and 0 to 10 inches water gauge

**Accuracy Range In Percent:**

-2.0/+2.0

**Product Name:**

Velometer

**Special Features:**

Accuracy +/-2% full feet per minute scales and 5% on the static pressure scales; portable, non-electrical instrument; meter has 7 scales, 5 feet per minute scales and 2 inches water gauge static pressure scales; case material polycarbonate with retractable handle and raised edges for gripping; arc across top of meter 5 inches

**Functional Description:**

For quick, accurate air velocity measurements from 50 to 10, 000 feet per minute; for air velocity application such as hvac balancing, osha compliance checks, energy audits, drying systems, hood and spray booth monitoring, fan and blower characteristics and static pressure measurements

**Reference Data And Literature:**

Alnor catalog av-14

**Fsc Application Data:**

General purpose use

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T134-b