

View Online at <https://aerobasegroup.com/nsn/6680-00-140-7544>

Media For Which Designed:

Liquid hydrogen

Inlet Connection Type:

Flange

Inlet Bolt Hole Quantity:

4

Inlet Bolt Hole Diameter:

0.625 inches

Inlet Bolt Circle Diameter:

2.625 inches

Integral Relief Valve:

Not included

Meter Type:

Float

Design Type:

Case

Unit Type:

Mounted

Scale Quantity:

1

Construction:

Inclosed w/sight window

Outlet Connection Type:

Flange

Scale Marking:

Std cu ft per hr

Scale Type:

Direct capacity reading

Float Quantity:

1

Tube Material:

Glass

Mounting Method:

Flush panel

Carrying Handle:

Not included

Dial Scale Marking Range:

+240.0 to 2400.0

Outlet Connection Size:

0.500 in. Ips

Outlet Bolt Circle Diameter:

2.625 inches

Outlet Bolt Hole Quantity:

4

Outlet Bolt Hole Diameter:

0.625 inches

Base:

Not included

Float Type:

Free

Float Material:

Steel, stainless

Integral Heat Source:

Not included

Maximum Working Pressure:

275.0 pounds per square inch

Inlet Connection Size:

0.500 in. Ips

Metering Tube Quantity:

1

Dial Scale Smallest Increment:

200 cu ft

Dial Scale Reference Pointer:

Not included

Spinning Float:

Not included

Integral Pulsation Dampener:

Not included

Inlet Connection Position For Which Designed:

Horizontal

Inlet Connection Device Type:

Stationary

Outlet Connection Position For Which Designed:

Horizontal

Outlet Connection Device Type:

Stationary

Alarm Signal:

Not included

Special Features:

Serial no. 6904-65522

Reference Number Differentiating Characteristics:

As differentiated by special features

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T134-t