## NSN 6680-00-174-6144

**Body Material:** 

**Maximum Operating Pressure:** 

Bronze



Liquid Volumetric Positive Displacement Meter - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/6680-00-174-6144

100.0 pounds per square inch
Media For Which Designed:
Water, cold
Inlet Connection Type:
Threaded
Maximum Operating Temp:
100.0 degrees fahrenheit
Installation Design:
Direct mount
Inlet Connection Size:
1.500 in. lps
Measurement Unit:
Us gallon
Scale Measurement Range:
+1.0/+10.0
Outlet Connection Type:
Threaded
Displacement Type:
Disk
Installation Location:
Left hand side or right hand side
Liquid Flow Rate:
100.0 gallons per minute
Register Type:
Dial w/pointer or wheel
Reset Feature:
Not provided
Printing Mechanism:
Not provided
Inlet Union Connection:
Not provided
Outlet Connection Size:
1.500 in. lps
Outlet Union Connection:
Not provided
Product Name:
Meter volumetric positive displacement liquid, class a, size 1-1/2 inch
Special Features:
Additional scale measurement range 0.0 to 9999990.0

NSN 6680-00-174-6144 Liquid Volumetric Positive Displacement Meter - Page 2 of 2



Specification Or Standard
A class
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

T134-d