NSN 6680-00-236-0709

Overall Length: 10.000 inches

Flow Rate Indicating Meter - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/6680-00-236-0709



Media For Which Designed: Air or water **Inlet Connection Type:** Threaded **Integral Relief Valve:** Not included **Meter Type:** Float **Design Type:** Glass **Unit Type:** Mounted **Scale Quantity: Construction:** Inclosed w/sight window **Outlet Connection Type:** Threaded Scale Marking: Gpm Scale Type: Direct capacity reading Float Quantity: 1 **Tube Material:** Glass **Mounting Method:** Direct line **Dial Scale Marking Range: Outlet Connection Size:** 0.500 in. Npt Float Type: Guided Float Material: **Brass Guide Type:** Solid rod **Integral Heat Source:** Not included

NSN 6680-00-236-0709

Flow Rate Indicating Meter - Page 2 of 2



Maximum Working Pressure:
275.0 pounds per square inch
Inlet Connection Size:
0.500 in. @npt
Metering Tube Quantity:
1
Dial Scale Smallest Increment:
1gpm
Dial Scale Reference Pointer:
Not included
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Vertical
Outlet Connection Position For Which Designed:
Vertical
Alarm Signal:
Not included
Special Features:
Additional scalequantity type 1; additional scale marking cfm; additional dial scale marking range 0.0 to 25.0; additional dial scale smallest
increment 5 cfm
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
T134-t