NSN 6680-00-530-0675

Tachometer Generator - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6680-00-530-0675

Overall Length: 2.540 inches Overall Width: 1.765 inches Shaft Diameter: 0.1600 inches single end Shaft Rotation Direction: Clockwise single end Mounting Method: Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Excitor Type: Self-excited Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
Overall Width: 1.765 inches Shaft Diameter: 0.1600 inches single end Shaft Rotation Direction: Clockwise single end Mounting Method: Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Excitor Type: Self-excited Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
1.765 inches Shaft Diameter: 0.1600 inches single end Shaft Rotation Direction: Clockwise single end Mounting Method: Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Excitor Type: Self-excited Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
Shaft Diameter: 0.1600 inches single end Shaft Rotation Direction: Clockwise single end Mounting Method: Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Excitor Type: Self-excited Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
0.1600 inches single end Shaft Rotation Direction: Clockwise single end Mounting Method: Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Excitor Type: Self-excited Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
Shaft Rotation Direction: Clockwise single end Mounting Method: Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Excitor Type: Self-excited Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
Clockwise single end Mounting Method: Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Excitor Type: Self-excited Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
Mounting Method: Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Excitor Type: Self-excited Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
Clamp ring Mounting Facility Type And Quantity: 1 clamp collar Excitor Type: Self-excited Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
Mounting Facility Type And Quantity: 1 clamp collar Excitor Type: Self-excited Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
1 clamp collar Excitor Type: Self-excited Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
Excitor Type: Self-excited Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
Self-excited Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
Calibration Speed In Rpm: 1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
1000.0 Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
Calibration Voltage Output Type In Volts: 2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
2.9 ac Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
Length Of Shaft From Housing: 0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
0.440 inches single end Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
Shaft End Characteristic: A1 single style single end Terminal Type And Quantity: 4 wire lead
A1 single style single end Terminal Type And Quantity: 4 wire lead
Terminal Type And Quantity: 4 wire lead
4 wire lead
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A271a0