

NSN 6680-00-532-8079 Flow Rate Indicating Meter - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/6680-00-532-8079 **Overall Length:** 7.625 inches Media For Which Designed: Air **Inlet Connection Type:** Threaded **End Application:** Poseidon **Integral Relief Valve:** Not included **Meter Type:** Float **Design Type:** Glass **Unit Type:** Mounted **Scale Quantity:** 1 **Outlet Connection Type:** Threaded Scale Marking: Scfm Scale Type: Direct capacity reading Float Quantity: 1 **Tube Material:** Glass, borosilicate

Mounting Method:

Direct line

Outlet Connection Size:

1.000 in. Npt

Float Type:

Free

Float Material:

Brass

Integral Heat Source:

Not included

Maximum Working Pressure:

14.7 pounds per square inch

Inlet Connection Size:

1.000 in. Npt

NSN 6680-00-532-8079Flow Rate Indicating Meter - Page 2 of 2



Metering Tube Quantity:
1
Dial Scale Reference Pointer:
Not included
Spinning Float:
Not included
ntegral Pulsation Dampener:
Not included
nlet Connection Position For Which Designed:
Horizontal or vertical
Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Stationary
Alarm Signal:
Not included
Special Features:
Plastic safety shield; vertical scale graduated 1.4 to 14.0
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
Г134-t