NSN 6680-00-545-3186

Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-00-545-3186 **Overall Length:** 12.187 inches Media For Which Designed: Air **Inlet Connection Type:** Threaded **Integral Relief Valve:** Not included **Accessory Components And Quantity:** Protection shield **Indicator Type:** Ball float **Meter Type:** Float **Design Type:** Case **Unit Type:** Mounted **Scale Quantity: Construction:** Inclosed w/sight window **Outlet Connection Type:** Threaded Scale Marking: Standard cu fpm Scale Type: Direct capacity reading Float Quantity: **Tube Material: Mounting Method:** Direct line **Carrying Handle:** Not included **Dial Scale Marking Range:** +0.0/+100.0 **Outlet Connection Size:** 0.250 in. Npt

Base:

Not included

NSN 6680-00-545-3186

Flow Rate Indicating Meter - Page 2 of 2



Float Type:
Free
Float Material:
Saphire
Integral Heat Source:
Not included
Maximum Working Pressure:
450.0 pounds per square inch
Inlet Connection Size:
0.250 in. Npt
Metering Tube Quantity:
1
Dial Scale Reference Pointer:
Not included
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Horizontal
Inlet Connection Device Type:
Swivel
Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Swivel
Alarm Signal:
Not included
Special Features:
Plastic safety shield
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T134-t