NSN 6680-00-561-5474



Flexible Shaft Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/6680-00-561-5474 **Thread Class:** 2 both ends **Thread Direction:** Right-hand both ends Thread Length: 0.375 inches both ends **Overall Length:** 63.125 inches Tip Length: 1.000 inches both ends **Tongue Thickness:** 0.060 inches both ends **Core Material:** Steel **Screw Thread Series Designator:** Uns first end **Core Surface Treatment:** Cadmium plated **Core Diameter:** 0.150 inches **Thread Location:** Internal first end **End Type:** Round, flatted two sides, external both ends **End Connection Type:** Threaded internal first end **Tongue Length:** 0.312 inches both ends Setscrew: Not included both ends **Casing Material:** Steel **Cross Section Size And Location:** 0.203 inches diameter both ends **Casing Surface Treatment:** Galvanized **Casing Length Between Ferrules:** 62.000 inches **Casing Outside Diameter:** 0.445 inches

Swivel End:

Not provided first end

NSN 6680-00-561-5474

Flexible Shaft Assembly - Page 2 of 2



| Enddiameter: |
|---------------------------------|
| 0.875 inches second end |
| Lubrication Fitting: |
| Not provided both ends |
| Corelength: |
| 63.125 inches |
| Core Rotation Direction: |
| Clockwise |
| Core Removability: |
| Nonremovable |
| Fsc Application Data: |
| Tachometer, engine |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig: T246-e