

NSN 6680-00-627-3125 Flexible Shaft Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/6680-00-627-3125 **Thread Class:** 2b both ends **Thread Direction:** Right-hand both ends **Overall Length:** 74.000 inches **Thread Depth:** 0.281 inches both ends Tip Length: 0.734 inches first end **Shank Outside Diameter:** 0.531 inches both ends **Core Material:** Steel **Screw Thread Series Designator:** Unf both ends **Core Diameter:** 0.150 inches **Thread Location:** Internal both ends **End Type:** Square male second end **End Connection Type:** Threaded internal both ends Setscrew: Not included both ends **Casing Material:** Steel **Cross Section Size And Location:**

0.188 inches across flats second end

Torsional Deflection Rating:

Not rated

Casing Surface Treatment:

Galvanized

Casing Length Between Ferrules:

72.500 inches

Casing Outside Diameter:

0.438 inches

Swivel End:

Provided both ends

Enddiameter:

1.000 inches both ends

NSN 6680-00-627-3125Flexible Shaft Assembly - Page 2 of 2



Lubrication Fitting:
Not provided both ends
Corelength:
73.484 inches
Core Rotation Direction:
Clockwise
Core Removability:
Nonremovable
Minimum Operating Radius:
5.000 inches
Special Features:
Counterclockwise core rotation direction
Fsc Application Data:
Mechanical motion measuring instrument
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T246-e