NSN 6680-00-670-0877

Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-00-670-0877 **Overall Length:** 4.094 inches Media For Which Designed: Air **Inlet Connection Type:** Threaded Dial Range: +0.0/+10.0 **Integral Relief Valve:** Included **Meter Type:** Float **Design Type:** Case **Unit Type:** Mounted **Scale Quantity:** 1 **Construction:** Open post **Outlet Connection Type:** Threaded Scale Marking: Cu ft per hr Scale Type: Direct capacity reading Float Quantity: **Tube Material:** Plastic **Mounting Method:** Surface panel **Carrying Handle:** Not included **Unit Location:** Right center front **Dial Scale Marking Range:** +1.0/+10.0 **Outlet Connection Size:** 1/8 in. Npt Base:

Not included

NSN 6680-00-670-0877

Flow Rate Indicating Meter - Page 2 of 2



Float Type:
Guided
Float Material:
Glass
Guide Type:
Any acceptable
Integral Heat Source:
Not included
Maximum Working Pressure:
100.0 pounds per square inch
Inlet Connection Size:
1/8 in. Npt
Metering Tube Quantity:
1
Dial Scale Smallest Increment:
0.5 cu ft per hr
Dial Scale Reference Pointer:
Not included
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Horizontal
Inlet Connection Device Type:
Stationary
Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Stationary
Alarm Signal:
Not included
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T13/L+