## NSN 6680-00-679-4635

**Wrenching Facility Outside Diameter:** 

0.875 inches both ends

**Thread Depth:** 

Thread Class:
2b second end
Thread Direction:
Right-hand both ends
Overall Length:
104.000 inches

Flexible Shaft Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-00-679-4635

0.250 inches both end	,	
Tip Length:		
0.500 inches both end	i	
Core Material:		
Steel		
Screw Thread Series	esignator:	
Uns both ends		
Core Surface Treatme	nt:	
Cadmium plated		
Core Diameter:		
0.130 inches		
Thread Location:		
Internal both ends		
End Type:		
Round keyed both end		
End Connection Type		
Threaded internal both	ends	
Setscrew:		
Not included both ends		
Casing Material:		
Steel		
Wrenching Facility Ty	pe:	
Knurled surface both e	ds	
Cross Section Size A	d Location:	
0.104 inches across fla	ts both ends	
Casing Surface Treat	nent:	
Zinc coated		
Casing Length Betwe	n Ferrules:	
103.000 inches		
Casing Outside Diam	ter:	
0.243 inches		
Swivel End:		
Not provided both ends		

## NSN 6680-00-679-4635

Flexible Shaft Assembly - Page 2 of 2



Enddiameter:
1.000 inches both ends
Lubrication Fitting:
Not provided both ends
Corelength:
104.000 inches
Core Rotation Direction:
Clockwise
Core Removability:
Removable
Minimum Operating Radius:
3.000 inches
Special Features:
Counterclockwise core rotation direction
Fsc Application Data:
Tachometer, mechanical, fixed mounting
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T246-e