

View Online at <https://aerobasegroup.com/nsn/6680-00-684-5418>

**Thread Class:**

2b second end

**Thread Direction:**

Right-hand both ends

**Thread Length:**

0.3125 inches both ends

**Overall Length:**

138.743125 inches

**Tip Length:**

0.734 inches both ends

**Shank Outside Diameter:**

0.9375 inches both ends

**Core Material:**

Steel

**Screw Thread Series Designator:**

Uns both ends

**Core Surface Treatment:**

Zinc

**Core Diameter:**

0.150 inches

**Thread Location:**

Internal both ends

**End Type:**

Round keyed both ends

**End Connection Type:**

Threaded internal both ends

**Setscrew:**

Not included both ends

**Casing Material:**

Steel

**Cross Section Size And Location:**

0.152 inches diameter both ends

**Casing Surface Treatment:**

Galvanized

**Casing Length Between Ferrules:**

138.000 inches

**Casing Outside Diameter:**

0.4375 inches

**Casing Protective Device Type:**

Coiled spring protector

**Swivel End:**

Not provided both ends

**Enddiameter:**

1.000 inches both ends

**Lubrication Fitting:**

Not provided both ends

**Corelength:**

138.734375 inches

**Core Rotation Direction:**

Clockwise

**Core Removability:**

Removable

**Minimum Operating Radius:**

3.500 inches

**Special Features:**

Counterclockwise core rotation direction

**Fsc Application Data:**

Speedometer, mechanical motion measuring instrument

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T246-e