NSN 6680-00-715-7600

Liquid Quantity Transmitter - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6680-00-715-7600

Terminal Type: Pin contact Overall Length: 15.750 inches Current Type: Dc Overall Diameter: 2.579 inches Attachment Feature Quantity: 5 Actuation Method: Float and gear Voltage Rating: 24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig:	Terminal Quantity:
Pin contact Overall Length: 15.750 inches Current Type: Dc Overall Diameter: 2.579 inches Attachment Feature Quantity: 5 Actuation Method: Float and gear Voltage Rating: 24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, 00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Figs:	1
Overall Length: 15.750 inches Current Type: Dc Overall Diameter: 2.579 inches Attachment Feature Quantity: 5 Actuation Method: Float and gear Voltage Rating: 24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig:	Terminal Type:
15.750 inches Current Type: Dc Overall Diameter: 2.579 inches Attachment Feature Quantity: 5 Actuation Method: Float and gear Voltage Rating: 24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Pin contact
Current Type: Dc Overall Diameter: 2.579 inches Attachment Feature Quantity: 5 Actuation Method: Float and gear Voltage Rating: 24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Flig:	Overall Length:
Dc Overall Diameter: 2.579 inches Attachment Feature Quantity: 5 Actuation Method: Float and gear Voltage Rating: 24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Figs:	15.750 inches
Overall Diameter: 2.579 inches Attachment Feature Quantity: 5 Actuation Method: Float and gear Voltage Rating: 24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Current Type:
2.579 inches Attachment Feature Quantity: 5 Actuation Method: Float and gear Voltage Rating: 24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Figs:	Dc
Attachment Feature Quantity: 5 Actuation Method: Float and gear Voltage Rating: 24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, 00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Overall Diameter:
Actuation Method: Float and gear Voltage Rating: 24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	2.579 inches
Actuation Method: Float and gear Voltage Rating: 24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Figs:	Attachment Feature Quantity:
Float and gear Voltage Rating: 24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Figs:	5
Voltage Rating: 24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Figs:	Actuation Method:
24.0 volts Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Float and gear
Electrical Connection Quantity: 1 Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig:	Voltage Rating:
Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	24.0 volts
Mounting Method: Hole Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Electrical Connection Quantity:
Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	1
Float Arm Length: 17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Mounting Method:
17.000 inches Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Hole
Special Features: Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Float Arm Length:
Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	17.000 inches
Media For Which Designed: Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Special Features:
Interface Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Callibaration limits, .00 to .50 ohms with arm in empty position, 29.6 to 31.3 ohms with arm at full position
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig:	Media For Which Designed:
N/a Unit Of Measure: Demilitarization: No Fiig:	Interface
Unit Of Measure: Demilitarization: No Fiig:	Shelf Life:
Demilitarization: No Fiig:	N/a
No Fiig:	Unit Of Measure:
No Fiig:	
Fiig:	Demilitarization:
	No
T4.45 L	Fiig:
1145-0	T145-b