

View Online at <https://aerobasegroup.com/nsn/6680-00-791-2777>

Overall Length:

13.375 inches

Media For Which Designed:

Stoddard solvent

Inlet Connection Type:

Threaded

Integral Relief Valve:

Not included

Meter Type:

Float

Design Type:

Case

Unit Type:

Mounted

Scale Quantity:

1

Construction:

Inclosed w/sight window

Outlet Connection Type:

Threaded

Scale Marking:

Cc per min

Scale Type:

Direct capacity reading

Float Quantity:

1

Tube Material:

Glass

Mounting Method:

Direct line

Carrying Handle:

Not included

Dial Scale Marking Range:

+5.0 to 60.0

Outlet Connection Size:

1/4 in. Npt

Base:

Not included

Float Type:

Free

Float Material:

Sapphire

Integral Heat Source:

Not included

Maximum Working Pressure:

Not rated

Inlet Connection Size:

1/4 in. Npt

Metering Tube Quantity:

1

Dial Scale Smallest Increment:

2 cc per min

Dial Scale Reference Pointer:

Not included

Spinning Float:

Not included

Integral Pulsation Dampener:

Not included

Inlet Connection Position For Which Designed:

Horizontal

Inlet Connection Device Type:

Swivel

Outlet Connection Position For Which Designed:

Horizontal

Outlet Connection Device Type:

Swivel

Alarm Signal:

Not included

Reference Number Differentiating Characteristics:

Apsj, ateq, ackl, astw, bhby, aewh, cpzj, cpzk, awae, bjdm, cpzm, bhsq, abhp, apqb, axgy, acqw, cpzd, cpzp, cpzq, arth, bhcm, cpzr and cpzs

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T134-t