

View Online at <https://aerobasegroup.com/nsn/6680-00-791-2777>

**Overall Length:**

13.375 inches

**Media For Which Designed:**

Stoddard solvent

**Inlet Connection Type:**

Threaded

**Integral Relief Valve:**

Not included

**Meter Type:**

Float

**Design Type:**

Case

**Unit Type:**

Mounted

**Scale Quantity:**

1

**Construction:**

Inclosed w/sight window

**Outlet Connection Type:**

Threaded

**Scale Marking:**

Cc per min

**Scale Type:**

Direct capacity reading

**Float Quantity:**

1

**Tube Material:**

Glass

**Mounting Method:**

Direct line

**Carrying Handle:**

Not included

**Dial Scale Marking Range:**

+5.0 to 60.0

**Outlet Connection Size:**

1/4 in. Npt

**Base:**

Not included

**Float Type:**

Free

**Float Material:**

Sapphire

**Integral Heat Source:**

Not included

**Maximum Working Pressure:**

Not rated

**Inlet Connection Size:**

1/4 in. Npt

**Metering Tube Quantity:**

1

**Dial Scale Smallest Increment:**

2 cc per min

**Dial Scale Reference Pointer:**

Not included

**Spinning Float:**

Not included

**Integral Pulsation Dampener:**

Not included

**Inlet Connection Position For Which Designed:**

Horizontal

**Inlet Connection Device Type:**

Swivel

**Outlet Connection Position For Which Designed:**

Horizontal

**Outlet Connection Device Type:**

Swivel

**Alarm Signal:**

Not included

**Reference Number Differentiating Characteristics:**

Apsj, ateq, ackl, astw, bhby, aewh, cpzj, cpzk, awae, bjdm, cpzm, bhsq, abhp, apqb, axgy, acqw, cpzd, cpzp, cpzq, arth, bhcm, cpzr and cpzs

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T134-t