NSN 6680-00-814-4565

Flow Rate Indicating Meter - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/6680-00-814-4565



Overall Length: 39.438 inches Media For Which Designed: Calibration **Inlet Connection Type:** Threaded **Integral Relief Valve:** Included **Accessory Components And Quantity:** Drip indicator, 1 **Meter Type:** Float **Design Type:** Case **Unit Type:** Mounted **Scale Quantity:** 3 **Construction:** Inclosed w/sight window **Outlet Connection Type:** Threaded Scale Marking: Lb per hr Scale Type: Direct capacity reading Float Quantity: **Tube Material:** Glass **Mounting Method:** Flush panel **Carrying Handle:** Not included **Unit Location:** Lower right front **Dial Scale Marking Range:** +4.9/+43200.0 **Outlet Connection Size:** 2.000 in. Npt Base: Not included

NSN 6680-00-814-4565

Flow Rate Indicating Meter - Page 2 of 2



Float Type:
Free
Float Material:
Steel, corrosion resisting
Integral Heat Source:
Not included
Maximum Working Pressure:
125.0 pounds per square inch
Inlet Connection Size:
2.000 in. Npt
Metering Tube Quantity:
3
Dial Scale Smallest Increment:
0.100 lb
Dial Scale Reference Pointer:
Not included
Float Quantity Per Tube:
1
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Horizontal
Inlet Connection Device Type:
Swivel
Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Stationary
Alarm Signal:
Not included
Special Features:
1.250 in. Reducer for inlet and outlet
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
T134-t