

View Online at <https://aerobasegroup.com/nsn/6680-00-814-8726>

Overall Length:

33.875 inches

Media For Which Designed:

Calibrated fluid

Inlet Connection Type:

Threaded

Integral Relief Valve:

Included

Accessory Components And Quantity:

1 drip indicator

Meter Type:

Float

Design Type:

Case

Unit Type:

Mounted

Scale Quantity:

2

Construction:

Inclosed w/sight window

Outlet Connection Type:

Threaded

Scale Marking:

Lb per hr

Scale Type:

Direct capacity reading

Float Quantity:

2

Tube Material:

Glass

Mounting Method:

Flush panel

Unit Location:

Lower right front

Dial Scale Marking Range:

+1760.0/+55000.0

Outlet Connection Size:

3 in. Tube

Float Type:

Guided

Float Material:

Steel, corrosion resisting

Guide Type:

Beaded tube

Integral Heat Source:

Not included

Maximum Working Pressure:

100.0 pounds per square inch

Inlet Connection Size:

3 in. Tube size

Metering Tube Quantity:

2

Dial Scale Smallest Increment:

5 lb

Dial Scale Reference Pointer:

Included

Float Quantity Per Tube:

1

Spinning Float:

Not included

Integral Pulsation Dampener:

Not included

Inlet Connection Position For Which Designed:

Horizontal

Inlet Connection Device Type:

Stationary

Outlet Connection Position For Which Designed:

Horizontal

Outlet Connection Device Type:

Stationary

Alarm Signal:

Not included

Special Features:

Scales calibrated for mil-f-7024, type 2, fluid at 80 degrees f

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T134-t