NSN 6680-00-831-6363

Overall Length:

Float Type:

Free

Flow Rate Indicating Meter - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/6680-00-831-6363



10.000 inches Media For Which Designed: Air **Inlet Connection Type:** Threaded Dial Range: +0.0/+0.4 **Integral Relief Valve:** Not included **Meter Type:** Float **Design Type:** Case **Unit Type:** Mounted **Scale Quantity:** 2 **Construction:** Inclosed w/sight window **Outlet Connection Type:** Threaded Scale Marking: Cfm Scale Type: Direct capacity reading Float Quantity: **Tube Material:** Glass **Mounting Method:** Direct line **Carrying Handle:** Not included **Dial Scale Marking Range:** +0.0/+0.4 **Outlet Connection Size:** 0.250 Base: Not included

NSN 6680-00-831-6363

Flow Rate Indicating Meter - Page 2 of 2



Float Material:
Pyrex, sapphire
Integral Heat Source:
Not included
Maximum Working Pressure:
110.0 pounds per square inch
Inlet Connection Size:
0.250 in. Npt
Metering Tube Quantity:
2
Dial Scale Smallest Increment:
0.0005cfm
Dial Scale Reference Pointer:
Not included
Float Quantity Per Tube:
1
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Horizontal
Inlet Connection Device Type:
Stationary
Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Stationary
Alarm Signal:
Not included
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T124+