NSN 6680-00-836-4210

Flow Rate Indicating Meter - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/6680-00-836-4210



Overall Length: 12.188 inches Media For Which Designed: Air **Inlet Connection Type:** Threaded **Integral Relief Valve:** Not included **Accessory Components And Quantity:** Base plate, 1; hose connectors, 2 **Design Type:** Glass **Unit Type:** Mounted **Scale Quantity: Outlet Connection Type:** Threaded Scale Marking: Std cu in. Min Scale Type: Direct capacity reading Float Quantity: **Tube Material:** Glass, borosilicate **Mounting Method:** Surface panel **Outlet Connection Size:** 0.250 in. Npt Float Type: Free Float Material: Steel, stainless **Integral Heat Source:** Not included **Maximum Working Pressure:** 560.0 pounds per square inch **Inlet Connection Size:** 0.250 in. Npt **Metering Tube Quantity:** 1

NSN 6680-00-836-4210

Flow Rate Indicating Meter - Page 2 of 2



Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Horizontal
Inlet Connection Device Type:
Stationary
Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Stationary
Alarm Signal:
Not included
Special Features:
Vertical scale calibration 1.0 to 11.0 standard cu in. Min; serial no. 6609a2402b1-4
Reference Number Differentiating Characteristics:
As differentiated byserial no. In the special features requirement
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T134-t