

View Online at <https://aerobasegroup.com/nsn/6680-00-865-9354>

**Media For Which Designed:**

Liquid

**Inlet Connection Type:**

Threaded

**Integral Relief Valve:**

Not included

**Indicator Type:**

Float extension stem connected to dial pointer

**Meter Type:**

Float

**Design Type:**

Case

**Unit Type:**

Mounted

**Scale Quantity:**

2

**Construction:**

Armored

**Outlet Connection Type:**

Threaded

**Scale Marking:**

Gpm

**Scale Type:**

Direct capacity reading

**Float Quantity:**

1

**Tube Material:**

Steel, stainless

**Mounting Method:**

Direct line

**Carrying Handle:**

Not included

**Dial Scale Marking Range:**

+1.5/+15.0

**Outlet Connection Size:**

1.000 in. Npt

**Base:**

Not included

**Float Type:**

Guided

**Float Material:**

Steel, stainless

**Guide Type:**

Solid rod

**Integral Heat Source:**

Not included

**Inlet Connection Size:**

1.000 in. Npt

**Metering Tube Quantity:**

1

**Dial Scale Reference Pointer:**

Not included

**Spinning Float:**

Not included

**Integral Pulsation Dampener:**

Not included

**Inlet Connection Position For Which Designed:**

Horizontal

**Inlet Connection Device Type:**

Stationary

**Outlet Connection Position For Which Designed:**

Horizontal

**Outlet Connection Device Type:**

Stationary

**Alarm Signal:**

Not included

**Special Features:**

Left side scale for mil-h-5606 sp gr 0.805 at 180 degrees f, right side scale for mil-l-7808 sp gr 0.878 at 180 degrees f; serial no. 6503-78316

**Reference Number Differentiating Characteristics:**

As differentiated by special features

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T134-t