

View Online at <https://aerobasegroup.com/nsn/6680-00-879-3876>

**Overall Length:**

39.430 inches

**Media For Which Designed:**

Stoddard solvent

**Inlet Connection Type:**

Threaded

**Integral Relief Valve:**

Included

**Meter Type:**

Float

**Design Type:**

Case

**Unit Type:**

Mounted

**Scale Quantity:**

5

**Construction:**

Inclosed w/sight window

**Outlet Connection Type:**

Threaded

**Scale Marking:**

Lb per hr

**Scale Type:**

Direct capacity reading

**Float Quantity:**

5

**Tube Material:**

Glass

**Mounting Method:**

Flush panel

**Carrying Handle:**

Not included

**Unit Location:**

Lower rear

**Dial Scale Marking Range:**

+135.0/+2000.0

**Outlet Connection Size:**

2 in. Od tube

**Base:**

Not included

**Float Type:**

Guided

**Float Material:**

Steel, corrosion resisting

**Guide Type:**

Beaded tube

**Integral Heat Source:**

Not included

**Maximum Working Pressure:**

100.0 pounds per square inch

**Inlet Connection Size:**

2 in. Od tube

**Metering Tube Quantity:**

5

**Dial Scale Smallest Increment:**

1/4 lb

**Dial Scale Reference Pointer:**

Not included

**Float Quantity Per Tube:**

1

**Spinning Float:**

Not included

**Integral Pulsation Dampener:**

Not included

**Inlet Connection Position For Which Designed:**

Horizontal

**Inlet Connection Device Type:**

Stationary

**Outlet Connection Position For Which Designed:**

Horizontal

**Outlet Connection Device Type:**

Stationary

**Alarm Signal:**

Not included

**Reference Number Differentiating Characteristics:**

As differentiated by rqmts no. 3, 4, and 11

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T134-t