## NSN 6680-00-881-9579

Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-00-881-9579 **Overall Length:** 11.500 inches Media For Which Designed: Water, distilled **Inlet Connection Type:** Threaded **Integral Relief Valve:** Not included **Indicator Type:** Any acceptable **Meter Type:** Float **Design Type:** Glass **Unit Type:** Mounted **Scale Quantity:** 1 **Construction:** Open post **Outlet Connection Type:** Threaded Scale Marking: Gpm Scale Type: Direct capacity reading Float Quantity: **Tube Material:** Glass, borosilicate **Mounting Method:** Direct line **Carrying Handle:** Not included **Dial Scale Marking Range:** +0.0/+2.0 **Outlet Connection Size:** 0.500 in. Npt Base: Not included Float Type:

Free

## NSN 6680-00-881-9579

Flow Rate Indicating Meter - Page 2 of 2



Float Material:
Brass
Integral Heat Source:
Not included
Maximum Working Pressure:
175.0 pounds per square inch
Inlet Connection Size:
0.500 in. Npt
Metering Tube Quantity:
1
Maximum Water Capacity In Gallons Per Minute:
2.0
Maximum Air Capacity In Cubic Feet Per Minute:
8.5
Dial Scale Reference Pointer:
Not included
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Horizontal
Inlet Connection Device Type:
Stationary
Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Stationary
Alarm Signal:
Included
Special Features:
Single relay alarm, 120.0 v ac, 60 hz, operates at 2.0 gpm
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T134-t