

View Online at <https://aerobasegroup.com/nsn/6680-00-889-1539>

**Overall Length:**

39.430 inches

**Media For Which Designed:**

Calibration fluid

**Inlet Connection Type:**

Threaded

**Integral Relief Valve:**

Included

**Design Type:**

Case

**Unit Type:**

Mounted

**Scale Quantity:**

3

**Construction:**

Inclosed w/sight window

**Outlet Connection Type:**

Threaded

**Scale Marking:**

Phr

**Scale Type:**

Direct capacity reading

**Float Quantity:**

3

**Tube Material:**

Glass

**Mounting Method:**

Flush panel

**Carrying Handle:**

Not included

**Unit Location:**

Lower rear

**Dial Scale Marking Range:**

+22.0/+4400.0

**Outlet Connection Size:**

1-1/4 in. Od tube

**Base:**

Not included

**Float Type:**

Guided

**Float Material:**

Steel, corrosion resisting

**Guide Type:**

Beaded tube

**Integral Heat Source:**

Not included

**Maximum Working Pressure:**

160.0 pounds per square inch

**Inlet Connection Size:**

1-1/4 in. Od tube

**Metering Tube Quantity:**

3

**Dial Scale Smallest Increment:**

0.10 phr

**Dial Scale Reference Pointer:**

Not included

**Float Quantity Per Tube:**

1

**Spinning Float:**

Not included

**Integral Pulsation Dampener:**

Not included

**Inlet Connection Position For Which Designed:**

Horizontal

**Inlet Connection Device Type:**

Stationary

**Outlet Connection Position For Which Designed:**

Horizontal

**Outlet Connection Device Type:**

Stationary

**Alarm Signal:**

Not included

**Reference Number Differentiating Characteristics:**

Yas differentiated by replies to meter tube qty, tube matl, scale qty, scale type, media for which designed, scale marking range, dial scale smallest increment, w/scales calibrated at 80 degrees f w/additional temp checks at 70, 90 and 100 degrees f

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T134-t