Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-00-889-1877

Overall Length: 21.125 inches	
21.125 inches	
Media For Which Designed:	
Hydraulic oil	
Inlet Connection Type:	
Threaded	
End Application:	
Fisher and porter co, hydraulic pump test stand, p/n te15558	
Integral Relief Valve:	
Not included	
Meter Type:	
Float	
Design Type:	
Case	
Unit Type:	
Mounted	
Scale Quantity:	
1	
Construction:	
Inclosed w/sight window	
Outlet Connection Type:	
Threaded	
Scale Marking:	
Gal. Per min	
Scale Type:	
Direct capacity reading	
Float Quantity:	
1	
Tube Material:	
Glass	
Mounting Method:	
Surface panel	
Carrying Handle:	
Not included	
Dial Scale Marking Range:	
+1.0/+10.0	
Outlet Connection Size:	
0.750 in. Npt	
Base:	
Not included	
Float Type:	
Free	

Flow Rate Indicating Meter - Page 2 of 2



Float Material: Steel, stainless **Integral Heat Source:** Not included Maximum Working Pressure: 175.0 pounds per square inch Inlet Connection Size: 0.750 in. Npt Metering Tube Quantity: 1 **Spinning Float:** Not included **Integral Pulsation Dampener:** Not included Inlet Connection Position For Which Designed: Horizontal Inlet Connection Device Type: Stationary **Outlet Connection Position For Which Designed:** Horizontal **Outlet Connection Device Type:** Stationary Alarm Signal: Not included **Special Features:** Rotatable end fitting **Reference Number Differentiating Characteristics:** Serial no. 7701h0230a1 Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: T134-t