## NSN 6680-00-897-4410

Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-00-897-4410 **Overall Length:** 4.125 inches Media For Which Designed: Nitrogen gas **Inlet Connection Type:** Threaded **End Application:** Airborne electronic equipment, an/asq42 **Integral Relief Valve:** Not included **Meter Type:** Float **Design Type:** Case **Unit Type:** Mounted **Scale Quantity:** 1 **Construction:** Inclosed w/sight window **Outlet Connection Type:** Threaded Scale Marking: Cu in. Per min Scale Type: Direct capacity reading Float Quantity: **Tube Material:** Plastic **Mounting Method:** Direct line **Carrying Handle:** Not included **Dial Scale Marking Range:** +2.0/+17.0 **Outlet Connection Size:** 1/8 in. Npt Base: Not included Float Type:

Free

## NSN 6680-00-897-4410

Flow Rate Indicating Meter - Page 2 of 2



Float Material:
Steel, corrosion resisting
Integral Heat Source:
Not included
Maximum Working Pressure:
100.0 pounds per square inch
Inlet Connection Size:
1/8 in. Npt
Metering Tube Quantity:
1
Dial Scale Smallest Increment:
2 cu in. Per min
Dial Scale Reference Pointer:
Not included
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Horizontal
Inlet Connection Device Type:
Stationary
Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Stationary
Alarm Signal:
Not included
Special Features:
Tube size and float designation 4-38a
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T134-t