NSN 6680-00-973-4187

Flexible Shaft Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-00-973-4187 **Thread Class:** 2b both ends **Thread Direction:** Right-hand both ends **Overall Length:** Between 32.770 inches and 33.230 inches Tip Length: 0.620 inches and 0.880 inches first end **Core Material:** Any acceptable **Screw Thread Series Designator:** Unf both ends **Core Diameter:** Between 0.125 inches and 0.130 inches **Thread Location:** Internal both ends **End Type:** Square male both ends **End Connection Type:** Threaded internal both ends **Casing Material:** Plastic, polyethylene **Torsional Deflection Rating:** 25.0 degrees per ft oz winding and 50.0 degrees per ft oz unwinding torsional deflection **Casing Length Between Ferrules:** Between 31.810 inches and 31.930 inches **Casing Outside Diameter:** Between 0.310 inches and 0.360 inches **Casing Protective Device Type:** Plastic cover Swivel End: Not provided both ends **Enddiameter:** 0.641 inches and 0.661 inches both ends Corelength: Between 32.770 inches and 33.230 inches **Core Rotation Direction:** Clockwise Core Removability: Removable Shelf Life:

N/a

NSN 6680-00-973-4187

Flexible Shaft Assembly - Page 2 of 2



	• •				
In	18	<i>(</i>)+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

T246-e