Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-021-2194

Inlet Connection Type:	
Threaded	
End Application:	
Test set, westinghouse p/n 990d270g01	
Integral Relief Valve:	
Not included	
Meter Type:	
Float	
Design Type:	
Glass	
Unit Type:	
Mounted	
Scale Quantity:	
1	
Illuminative Method:	
Any acceptable	
Outlet Connection Type:	
Threaded	
Scale Marking:	
Gpm	
Scale Type:	
Direct capacity reading	
Float Quantity:	
1	
Tube Material:	
Glass	
Mounting Method:	
Flush panel	
Float Type:	
Free	
Integral Heat Source:	
Not included	
Metering Tube Quantity:	
1	
Spinning Float:	
Not included	
Integral Pulsation Dampener:	
Not included	
Inlet Connection Position For Which Designed:	
Horizontal	
Inlet Connection Device Type:	
Stationary	

NSN 6680-01-021-2194

Flow Rate Indicating Meter - Page 2 of 2



Outlet Connection Position For Which Designed:

Horizontal

Outlet Connection Device Type:

Stationary

Alarm Signal:

Included

Special Features:

0.2 to 2.6 gpm scale marking range

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T134-t