NSN 6680-01-024-0563

Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-024-0563 **Overall Length:** 150.0 millimeters **Inlet Connection Type:** Any acceptable **Integral Relief Valve:** Not included **Indicator Type:** Ball float **Design Type:** Glass **Unit Type:** Mounted **Scale Quantity: Illuminative Method:** Any acceptable **Outlet Connection Type:** Any acceptable Scale Type: Millimeter reference reading Float Quantity: 1 **Tube Material:** Glass **Mounting Method:** Flush panel or surface panel **Dial Scale Marking Range:** +0.0/+150.0 Float Type: Guided Float Material: Any acceptable **Guide Type:** Any acceptable **Integral Heat Source:** Included **Maximum Working Pressure:** 550.0 pounds per square inch **Metering Tube Quantity:**

Maximum Water Capacity In Gallons Per Minute:

200.0

NSN 6680-01-024-0563

Flow Rate Indicating Meter - Page 2 of 2



Maximum Air Capacity In Cubic Feet Per Minute:
300.0
Dial Scale Smallest Increment:
1mm
Dial Scale Reference Pointer:
Not included
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Vertical
Outlet Connection Position For Which Designed:
Vertical
Alarm Signal:
Not included
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
T134-t