

View Online at <https://aerobasegroup.com/nsn/6680-01-057-7087>

**Thread Class:**

2b both ends

**Thread Direction:**

Right-hand both ends

**Thread Length:**

0.375 inches both ends

**Overall Length:**

108.625 inches

**Tip Length:**

0.750 inches first end

**End Application:**

Vehicle, recovery m-88 series

**Core Material:**

Any acceptable

**Screw Thread Series Designator:**

Uns first end

**Core Surface Treatment:**

Any acceptable

**Core Diameter:**

Any acceptable

**Thread Location:**

Internal both ends

**End Type:**

Square male second end

**Width Across Flats:**

1.000 inches first end

**End Connection Type:**

Threaded internal both ends

**Casing Material:**

Plastic reinforced w/steel wire

**Wrenching Facility Type:**

Hexagon both ends

**Cross Section Size And Location:**

0.150 inches diameter first end

**Casing Surface Treatment:**

Any acceptable

**Casing Length Between Ferrules:**

Between 102.616 inches and 103.324 inches

**Casing Outside Diameter:**

Between 0.300 inches and 0.500 inches

**Casing Protective Device Type:**

Plastic cover

**Swivel End:**

Not provided both ends

**Overall End Size:**

1.000 in. Hex by 0.609 in. H first end

**Lubrication Fitting:**

Not provided both ends

**Corelength:**

108.625 inches

**Core Rotation Direction:**

Clockwise

**Core Removability:**

Removable

**Specification Or Standard:**

9 class and 1 type

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

T246-e