NSN 6680-01-057-7087



Tiexible Graft Assembly Tage Tot 2	Group
View Online at https://aerobasegroup.com/nsn/6680-01-057-7087	
Thread Class:	
2b both ends	
Thread Direction:	
Right-hand both ends	
Thread Length:	
0.375 inches both ends	
Overall Length:	
108.625 inches	
Tip Length:	
0.750 inches first end	
End Application:	
Vehicle, recovery m-88 series	
Core Material:	
Any acceptable	
Screw Thread Series Designator:	
Uns first end	
Core Surface Treatment:	
Any acceptable	
Core Diameter:	
Any acceptable	
Thread Location:	
Internal both ends	
End Type:	
Square male second end	
Width Across Flats:	
1.000 inches first end	
End Connection Type:	
Threaded internal both ends	
Casing Material:	
Plastic reinforced w/steel wire	
Wrenching Facility Type:	
Hexagon both ends	
Cross Section Size And Location:	

0.150 inches diameter first end

Casing Surface Treatment:

Any acceptable

Casing Length Between Ferrules:

Between 102.616 inches and 103.324 inches

Casing Outside Diameter:

Between 0.300 inches and 0.500 inches

Casing Protective Device Type:

Plastic cover

NSN 6680-01-057-7087

Flexible Shaft Assembly - Page 2 of 2



Swivel End:
Not provided both ends
Overall End Size:
1.000 in. Hex by 0.609 in. H first end
Lubrication Fitting:
Not provided both ends
Corelength:
108.625 inches
Core Rotation Direction:
Clockwise
Core Removability:
Removable
Specification Or Standard:
9 class and 1 type
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli

Fiig: T246-e