

View Online at <https://aerobasegroup.com/nsn/6680-01-081-8743>

Overall Length:

9.813 inches

Inlet Connection Type:

Threaded

End Application:

4920-01-053-2833 test stand

Integral Relief Valve:

Not included

Indicator Type:

Ball float

Meter Type:

Float

Design Type:

Case

Unit Type:

Mounted

Scale Quantity:

1

Construction:

Open post w/protection shield

Outlet Connection Type:

Threaded

Scale Type:

Millimeter reference reading

Float Quantity:

1

Tube Material:

Glass

Mounting Method:

Direct line or flush panel or surface panel

Carrying Handle:

Not included

Dial Scale Marking Range:

+0.0/+175.0

Outlet Connection Size:

0.250 or 0.125 in. Npt

Base:

Not included

Float Type:

Guided

Float Material:

Steel, stainless or glass or sapphire or tantalum or tungsten carbide

Guide Type:

Fluted tube

Integral Heat Source:

Not included

Maximum Working Pressure:

200.0 pounds per square inch

Inlet Connection Size:

0.250 or 0.125 in. Npt

Metering Tube Quantity:

1

Maximum Water Capacity In Gallons Per Minute:

0.5

Maximum Air Capacity In Cubic Feet Per Minute:

2.2

Dial Scale Smallest Increment:

1mm

Dial Scale Reference Pointer:

Not included

Spinning Float:

Not included

Integral Pulsation Dampener:

Not included

Inlet Connection Position For Which Designed:

Horizontal

Inlet Connection Device Type:

Stationary

Outlet Connection Position For Which Designed:

Horizontal

Outlet Connection Device Type:

Stationary

Alarm Signal:

Not included

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T134-t