## NSN 6680-01-102-5122

Flow Rate Indicating Meter - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/6680-01-102-5122



**Overall Length:** 4.750 inches Media For Which Designed: Air **Inlet Connection Type:** Threaded **End Application:** 6940-00-489-4571 **Integral Relief Valve:** Not included **Meter Type:** Float **Design Type:** Case **Unit Type:** Mounted **Scale Quantity:** 2 **Construction:** Inclosed w/sight window **Outlet Connection Type:** Threaded Scale Marking: Std cu ft of air per day Scale Type: Direct capacity reading Float Quantity: **Tube Material: Plastic Mounting Method:** Surface panel **Carrying Handle:** Not included **Dial Scale Marking Range:** +200.0/+3600.0 **Outlet Connection Size:** 0.125 in. Npt Base: Not included Float Type:

Free

## NSN 6680-01-102-5122

Flow Rate Indicating Meter - Page 2 of 2



Float Material:
Aluminum
Integral Heat Source:
Not included
Inlet Connection Size:
0.125 in. Npt
Metering Tube Quantity:
1
Dial Scale Smallest Increment:
50.0 standard cu ft
Dial Scale Reference Pointer:
Included
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Horizontal
Inlet Connection Device Type:
Stationary
Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Stationary
Alarm Signal:
Not included
Special Features:
Additional float tungsten carbide
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T134-t