NSN 6680-01-115-5275

Flow Rate Indicating Meter - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/6680-01-115-5275



Overall Length: 4.812 inches Media For Which Designed: Air **Inlet Connection Type:** Threaded **End Application:** An/mpq-t3 radar **Integral Relief Valve:** Not included **Accessory Components And Quantity:** Brass metering valve, 1 **Meter Type:** Float **Design Type:** Case **Unit Type:** Mounted **Scale Quantity: Construction:** Inclosed w/sight window **Outlet Connection Type:** Threaded Scale Marking: Cc air/min Scale Type: Direct capacity reading Float Quantity: **Tube Material:** Plastic **Mounting Method:** Surface panel **Carrying Handle:** Not included **Dial Scale Marking Range:** +30.0/+240.0 **Outlet Connection Size:** 0.125 in. Npt Base: Not included

NSN 6680-01-115-5275

Flow Rate Indicating Meter - Page 2 of 2



Float Type:
Guided
Float Material:
Any acceptable
Guide Type:
Any acceptable
Integral Heat Source:
Not included
Maximum Working Pressure:
100.0 pounds per square inch
Inlet Connection Size:
0.125 in. Npt
Metering Tube Quantity:
1
Dial Scale Smallest Increment:
10cc
Dial Scale Reference Pointer:
Included
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Horizontal
Inlet Connection Device Type:
Stationary
Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Stationary
Alarm Signal:
Not included
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
T134-t