## NSN 6680-01-123-8893

Flow Rate Indicating Meter - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/6680-01-123-8893 **Overall Length:** 15.500 inches Media For Which Designed: Water, salt **Inlet Connection Type:** Flange Inlet Bolt Hole Quantity: Inlet Bolt Hole Diameter: 0.562 inches **Inlet Bolt Circle Diameter:** 3.125 inches **Integral Relief Valve:** Not included **Meter Type:** Float **Design Type:** Case **Unit Type:** Mounted **Scale Quantity:** 1 **Construction:** Inclosed w/sight window **Outlet Connection Type:** Flange Scale Marking: Percent Scale Type: Direct capacity reading Float Quantity: **Tube Material:** Glass **Mounting Method:** Direct line **Carrying Handle:** Not included **Dial Scale Marking Range:** +0.0/+390.0

**Outlet Connection Size:** 1.000 in. lps

## NSN 6680-01-123-8893

Flow Rate Indicating Meter - Page 2 of 3



Outlet Bolt Circle Diameter:							
3.125 inches							
Outlet Bolt Hole Quantity:							
4							
Outlet Bolt Hole Diameter:							
0.562 inches							
Base:							
Not included							
Float Type:							
Free							
Float Material:							
Metal, corrosion resisting							
Integral Heat Source:							
Not included							
Maximum Working Pressure:							
100.0 pounds per square inch							
Inlet Connection Size:							
1.000 in. lps							
Metering Tube Quantity:							
1							
Dial Scale Smallest Increment:							
1 percent							
Dial Scale Reference Pointer:							
Not included							
Spinning Float:							
Not included							
Integral Pulsation Dampener:							
Not included							
Inlet Connection Position For Which Designed:							
Horizontal							
Inlet Connection Device Type:							
Swivel							
Outlet Connection Position For Which Designed:							
Horizontal							
Outlet Connection Device Type:							
Swivel							
Alarm Signal:							
Not included							
Special Features:							
Serial number 7601a1181a							
Reference Number Differentiating Characteristics:							
As differentiated by special features							
Shelf Life:							

N/a

## NSN 6680-01-123-8893

Flow Rate Indicating Meter - Page 3 of 3



	• •				
In	18	<i>(</i> )+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

T134-t