Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-151-2479

View Online at https://aerobas
Overall Length:
12.000 inches
Media For Which Designed:
Nitrogen gas
Inlet Connection Type:
Threaded
Integral Relief Valve:
Not included
Meter Type:
Float
Design Type:
Case
Unit Type:
Mounted
Scale Quantity:

1

Construction:

Inclosed w/sight window

**Outlet Connection Type:** 

Threaded

Scale Marking:

Standard cubic feet per minute

Scale Type:

Direct capacity reading

Float Quantity:

1

Mounting Method:

Direct line

Carrying Handle:

Not included

**Dial Scale Marking Range:** 

+0.12/+1.20

Base:

Not included

Float Type:

Free

Float Material:

Aluminum alloy or steel, stainless

**Integral Heat Source:** 

Not included

Maximum Working Pressure:

27.0 pounds per square inch

## NSN 6680-01-151-2479

Flow Rate Indicating Meter - Page 2 of 2



Dial Scale Reference Pointer:
Not included
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Vertical
Outlet Connection Position For Which Designed:
Vertical
Alarm Signal:
Not included
Criticality Code Justification:
Feat
Special Features:
Nuclear hardness critical item
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T134-t