NSN 6680-01-165-6123

Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-165-6123 **Overall Length:** 4.094 inches Media For Which Designed: Water **Inlet Connection Type:** Threaded **Integral Relief Valve:** Not included **Design Type:** Case **Unit Type:** Mounted **Scale Quantity: Construction:** Inclosed w/sight window **Outlet Connection Type:** Threaded Scale Marking: Cc water Scale Type: Direct capacity reading Float Quantity: **Tube Material:** Plastic **Mounting Method:** Direct line **Carrying Handle:** Not included **Dial Scale Marking Range:** +0.5/+3.0 **Outlet Connection Size:** 0.125 in. Npt Base: Not included Float Type: Free Float Material: Glass

Maximum Working Pressure:

100.0 pounds per square inch

NSN 6680-01-165-6123

Flow Rate Indicating Meter - Page 2 of 2



Inlet Connection Size:
0.125 in. Npt
Metering Tube Quantity:
1
Dial Scale Reference Pointer:
Not included
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Horizontal or vertical
Inlet Connection Device Type:
Stationary
Outlet Connection Position For Which Designed:
Vertical
Functional Description:
Used on submersible compression chamber saturated diving system
Reference Data And Literature:
Mfr bulletin f-33
Type/model Designation:
Vfa
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T134-t