NSN 6680-01-174-1683



Flow Rate Indicating Meter - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/6680-01-174-1683 **Overall Length:** 19.375 millimeters Media For Which Designed: Water **Inlet Connection Type:** Threaded **Integral Relief Valve:** Not included **Indicator Type:** Any acceptable **Meter Type:** Float **Design Type:** Case **Unit Type:** Mounted

Scale Quantity: 1 **Construction:**

Inclosed w/sight window

Outlet Connection Type:

Threaded

Scale Marking:

Gpm

Scale Type:

Direct capacity reading

Float Quantity:

Tube Material:

Bronze

Mounting Method:

Direct line

Carrying Handle:

Not included

Dial Scale Marking Range:

+0.0/+250.0

Outlet Connection Size:

1.000 in.

Base:

Not included

Float Type:

Free

NSN 6680-01-174-1683

Flow Rate Indicating Meter - Page 2 of 2



Float Material:
Steel, stainless
Integral Heat Source:
Not included
Maximum Working Pressure:
250.0 pounds per square inch
Inlet Connection Size:
1.000 in.
Metering Tube Quantity:
1
Dial Scale Smallest Increment:
1mm
Dial Scale Reference Pointer:
Not included
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Vertical
Outlet Connection Position For Which Designed:
Vertical
Alarm Signal:
Not included
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T134-t