Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-180-8370

0	verall Length:
	7.000 inches
M	ledia For Which Designed:
G	as or liquid
Ir	let Connection Type:
F	lange
Ir	let Bolt Hole Quantity:
4	
D	ial Range:
+	0.0/+250.0
Ir	ntegral Relief Valve:
N	lot included
M	leter Type:
F	loat
D	esign Type:
С	ase
U	nit Type:
N	lounted
S	cale Quantity:
1	
С	onstruction:
Ir	nclosed w/sight window
0	outlet Connection Type:
F	lange
S	cale Marking:
G	ipm
S	cale Type:
D	irect capacity reading
F	loat Quantity:
1	
т	ube Material:
G	ilass
M	Iounting Method:
S	urface panel
С	arrying Handle:
N	lot included
D	ial Scale Marking Range:
+	0.0/+250.0
0	outlet Bolt Hole Quantity:
4	
в	ase:

## NSN 6680-01-180-8370

Flow Rate Indicating Meter - Page 2 of 2



Float Type: Free Float Material: Steel, stainless **Integral Heat Source:** Not included Inlet Connection Size: 1.500 Metering Tube Quantity: 1 **Dial Scale Smallest Increment:** 1gpm **Dial Scale Reference Pointer:** Not included **Spinning Float:** Not included **Integral Pulsation Dampener:** Not included Inlet Connection Position For Which Designed: Horizontal Inlet Connection Device Type: Stationary **Outlet Connection Position For Which Designed:** Horizontal **Outlet Connection Device Type:** Stationary Alarm Signal: Not included Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: T134-t