Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-192-1786

Me	dia For Which Designed:
Wa	ater
Inl	et Connection Type:
Th	readed
Int	egral Relief Valve:
No	t included
Ме	eter Type:
Flo	pat
De	sign Type:
Ca	se
Un	it Type:
Мс	punted
Sc	ale Quantity:
1	
Co	nstruction:
Sic	le plate
Ou	tlet Connection Type:
Th	readed
Sc	ale Type:
Dir	ect capacity reading
Flo	pat Quantity:
1	
Tu	be Material:
Gla	ass
Мс	ounting Method:
Dir	ect line
Са	rrying Handle:
No	t included
Ou	tlet Connection Size:
0.7	750 in. Npt
Ва	se:
No	t included
Flo	pat Type:
Fre	ee
Flo	pat Material:
Ste	eel, stainless
Int	egral Heat Source:
No	t included
Inl	et Connection Size:
	'50 in. Npt

1

## NSN 6680-01-192-1786

Flow Rate Indicating Meter - Page 2 of 2



**Dial Scale Reference Pointer:** Not included **Spinning Float:** Not included Integral Pulsation Dampener: Not included Inlet Connection Position For Which Designed: Vertical **Outlet Connection Position For Which Designed:** Vertical Alarm Signal: Not included Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: T134-t