NSN 6680-01-193-8945

Liquid Volumetric Positive Displacement Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-193-8945 **Body Material:** Bronze **Maximum Operating Pressure:** 150.0 pounds per square inch Media For Which Designed: Water **Inlet Connection Type:** Threaded **Maximum Operating Temp:** 80.0 degrees fahrenheit Installation Design: Direct mount **Inlet Connection Size:** 1.030 in. Od **Measurement Unit:** Gallon or cubic foot or cubic meter Scale Measurement Range: +0.0/+999999.0 **Outlet Connection Type:** Threaded **Displacement Type:** Disk **Installation Location:** Any acceptable **Liquid Flow Rate:** Between 0.25 gallons per minute and 20.0 gallons per minute **Register Type:** Any acceptable **Reset Feature:** Not provided **Printing Mechanism:** Not provided **Inlet Union Connection:** Not provided **Outlet Connection Size:** 1.030 in. Od **Outlet Union Connection:** Not provided Shelf Life: N/a

--

Unit Of Measure:

NSN 6680-01-193-8945

Liquid Volumetric Positive Displacement Meter - Page 2 of 2



			on:	

No

Fiig:

T134-d