Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-198-3850

Me	dia For Which Designed:
Wa	ter
Inle	et Connection Type:
Flai	nge
Inte	egral Relief Valve:
Not	included
Ind	icator Type:
Bal	float
Met	ter Type:
Floa	at
Des	sign Type:
Cas	Se
Uni	t Туре:
Mo	unted
Sca	ale Quantity:
1	
Со	nstruction:
Incl	osed w/sight window
Out	tlet Connection Type:
Flai	nge
Sca	ale Marking:
Gpi	n
Sca	ale Type:
Dire	ect capacity reading
Flo	at Quantity:
1	
Tuk	be Material:
Met	tal
Мо	unting Method:
Dire	ect line
Car	rying Handle:
Not	included
Dia	I Scale Marking Range:
+1.0	6/+11.6
Bas	Se:
Not	included
Flo	at Type:
Gui	ded
Flo	at Material:
Ste	el, stainless
Gui	ide Type:

Flow Rate Indicating Meter - Page 2 of 2



Integral Heat Source:

Not included

Maximum Working Pressure:

300.0 pounds per square inch

Metering Tube Quantity:

1

Dial Scale Reference Pointer:

Not included

Spinning Float:

Not included

Integral Pulsation Dampener:

Not included

Inlet Connection Position For Which Designed:

Horizontal

Outlet Connection Position For Which Designed:

Horizontal

Alarm Signal:

Not included

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T134-t