NSN 6680-01-198-3850

Flow Rate Indicating Meter - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/6680-01-198-3850



Media For Which Designed: Water **Inlet Connection Type:** Flange **Integral Relief Valve:** Not included **Indicator Type:** Ball float **Meter Type:** Float **Design Type:** Case **Unit Type:** Mounted **Scale Quantity: Construction:** Inclosed w/sight window **Outlet Connection Type:** Flange Scale Marking: Gpm Scale Type: Direct capacity reading Float Quantity: 1 **Tube Material:** Metal **Mounting Method:** Direct line **Carrying Handle:** Not included **Dial Scale Marking Range:** +1.6/+11.6 Base: Not included Float Type: Guided Float Material: Steel, stainless **Guide Type:** Beaded tube

NSN 6680-01-198-3850

Flow Rate Indicating Meter - Page 2 of 2



Integral Heat Source:
Not included
Maximum Working Pressure:
300.0 pounds per square inch
Metering Tube Quantity:
1
Dial Scale Reference Pointer:
Not included
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Horizontal
Outlet Connection Position For Which Designed:
Horizontal
Alarm Signal:
Not included
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T134-t