## NSN 6680-01-202-0557

Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-202-0557 Media For Which Designed: Liquid **Inlet Connection Type:** Threaded **End Application:** International harvester model2 **Integral Relief Valve:** Included **Design Type:** Case **Unit Type:** Mounted **Construction:** Side plate **Outlet Connection Type:** Threaded Scale Type: Direct capacity reading Float Quantity: **Tube Material:** Glass **Mounting Method:** Direct line **Carrying Handle:** Not included **Outlet Connection Size:** 0.375 in. Npt Base: Not included Float Type: Free **Integral Heat Source:** Not included **Maximum Working Pressure:** 200.0 pounds per square inch **Inlet Connection Size:** 0.375 in. Npt

**Metering Tube Quantity:** 

**Dial Scale Reference Pointer:** 

Not included

## NSN 6680-01-202-0557

Flow Rate Indicating Meter - Page 2 of 2



Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Horizontal
Inlet Connection Device Type:
Swivel
Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Swivel
Alarm Signal:
Not included
Special Features:
Detachable scale (single, right side); brass end fittings; serial no. 8311h75673
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T134-t