NSN 6680-01-225-1051

Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-225-1051 **Overall Length:** 6.562 inches Media For Which Designed: 0il **Inlet Connection Type:** Threaded **Integral Relief Valve:** Not included **Indicator Type:** Float magnetically coupled to scale pointer **Meter Type:** Float **Design Type:** Glass **Unit Type:** Mounted **Scale Quantity:** 2 **Outlet Connection Type:** Threaded Scale Marking: Gallons per minute and liters per minute Scale Type: Direct capacity reading Float Quantity: 1 **Tube Material:** Aluminum **Mounting Method:** Direct line **Dial Scale Marking Range:** +1.0 to 15.0 **Outlet Connection Size:** 0.500 in. Npt Float Type: Guided Float Material: Any acceptable **Guide Type:** Any acceptable **Integral Heat Source:**

Not included

NSN 6680-01-225-1051

Flow Rate Indicating Meter - Page 2 of 2



| Maximum Working Pressure: |
|--|
| 3000.0 pounds per square inch |
| Inlet Connection Size: |
| 0.500 in. Npt |
| Metering Tube Quantity: |
| 1 |
| Dial Scale Reference Pointer: |
| Not included |
| Spinning Float: |
| Not included |
| Integral Pulsation Dampener: |
| Not included |
| Inlet Connection Position For Which Designed: |
| Horizontal or vertical |
| Inlet Connection Device Type: |
| Stationary |
| Outlet Connection Position For Which Designed: |
| |
| Horizontal or vertical |
| Horizontal or vertical Outlet Connection Device Type: |
| |
| Outlet Connection Device Type: |
| Outlet Connection Device Type: Stationary |
| Outlet Connection Device Type: Stationary Alarm Signal: |
| Outlet Connection Device Type: Stationary Alarm Signal: Not included |
| Outlet Connection Device Type: Stationary Alarm Signal: Not included Special Features: |
| Outlet Connection Device Type: Stationary Alarm Signal: Not included Special Features: Additional dial scale marking range 5.0 to 45.0 liters |
| Outlet Connection Device Type: Stationary Alarm Signal: Not included Special Features: Additional dial scale marking range 5.0 to 45.0 liters Shelf Life: |
| Outlet Connection Device Type: Stationary Alarm Signal: Not included Special Features: Additional dial scale marking range 5.0 to 45.0 liters Shelf Life: N/a |
| Outlet Connection Device Type: Stationary Alarm Signal: Not included Special Features: Additional dial scale marking range 5.0 to 45.0 liters Shelf Life: N/a |
| Outlet Connection Device Type: Stationary Alarm Signal: Not included Special Features: Additional dial scale marking range 5.0 to 45.0 liters Shelf Life: N/a Unit Of Measure: |
| Outlet Connection Device Type: Stationary Alarm Signal: Not included Special Features: Additional dial scale marking range 5.0 to 45.0 liters Shelf Life: N/a Unit Of Measure: Demilitarization: |