NSN 6680-01-270-4630

Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-270-4630 **Overall Length:** 24.125 inches Media For Which Designed: Water **Inlet Connection Type:** Any acceptable **Integral Relief Valve:** Not included **Meter Type:** Float **Design Type:** Case **Unit Type:** Mounted **Scale Quantity: Construction:** Inclosed w/sight window **Outlet Connection Type:** Any acceptable Scale Marking: Gpm Scale Type: Direct capacity reading Float Quantity: 1 **Tube Material:** Glass **Mounting Method:** Direct line **Carrying Handle:** Not included **Dial Scale Marking Range:** +1.2/+12.5 **Outlet Connection Size:** 1.000 in. Union Base: Not included Float Type: Free

Float Material: Steel, stainless

NSN 6680-01-270-4630

Flow Rate Indicating Meter - Page 2 of 2



Integral Heat Source:
Not included
Maximum Working Pressure:
250.0 pounds per square inch
Inlet Connection Size:
1.000 in. Union
Metering Tube Quantity:
1
Dial Scale Smallest Increment:
0.5 gpm
Dial Scale Reference Pointer:
Not included
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Vertical
Outlet Connection Position For Which Designed:
Vertical
Alarm Signal:
Not included
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T134-t