Liquid Quantity Transmitter - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6680-01-279-7527

| Terminal Q | uantity: |
|--------------|---|
| 4 | <i>y</i> - |
| Terminal T | vpe: |
| Stud | , |
| Overall Lei | nath: |
| 74.375 inch | |
| Current Ty | |
| Dc | |
| Attachmen | t Feature Quantity: |
| 2 | |
| Actuation I | Method: |
| Float | |
| Voltage Ra | ting: |
| | 0.0 volts and 12.0 volts |
| Electrical C | Connection Quantity: |
| 1 | |
| Electrical C | Connection Controlling Agency: |
| Cannon ele | ctric |
| Electrical C | Connection Identifying Number: |
| Part no. 364 | 468 |
| Mounting I | Method: |
| Bracket | |
| Resistance | e In Ohms: |
| 5.100 per ir | nch of indication |
| Pressure R | lating: |
| Between 0. | 000 pounds per square inch and 400.000 pounds per square inch |
| Float Mate | rial: |
| Rubber, bu | ina-n |
| Float Effec | tive Travel: |
| 68.000 inch | es |
| Media For | Which Designed: |
| Oil or water | |
| Shelf Life: | |
| N/a | |
| Unit Of Me | asure: |
| | |
| Demilitariz | ation: |
| No | |
| Fiig: | |
| T145-b | |