NSN 6680-01-309-9597

Overall Length: 4.000 inches

Not included

Air

Media For Which Designed:

Flow Rate Indicating Meter - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/6680-01-309-9597



Inlet Connection Type: Threaded **Integral Relief Valve:** Not included **Indicator Type:** Ball float **Meter Type:** Float **Design Type:** Case **Unit Type:** Mounted **Scale Quantity:** 1 **Construction:** Inclosed w/sight window **Outlet Connection Type:** Threaded Scale Marking: Standard cubic feet per minute Scale Type: Direct capacity reading Float Quantity: **Mounting Method:** Direct line **Carrying Handle:** Not included **Dial Scale Marking Range:** +0.0/+6.0 Base: Not included Float Type: Free Float Material: Steel, stainless **Integral Heat Source:**

NSN 6680-01-309-9597

Flow Rate Indicating Meter - Page 2 of 2



| Maximum Working Pressure: |
|--|
| 70.0 pounds per square inch |
| Metering Tube Quantity: |
| 1 |
| Dial Scale Reference Pointer: |
| Not included |
| Spinning Float: |
| Not included |
| Integral Pulsation Dampener: |
| Not included |
| Inlet Connection Position For Which Designed: |
| Vertical |
| Outlet Connection Position For Which Designed: |
| Vertical |
| Alarm Signal: |
| Not included |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| T134-t |