## NSN 6680-01-488-4352

Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-488-4352 **Overall Length:** 21.188 inches **Inlet Connection Type:** Flange **End Application:** Los angeles class ssn (688) **Integral Relief Valve:** Not included **Meter Type:** Float **Design Type:** Glass **Unit Type:** Mounted **Scale Quantity: Outlet Connection Type:** Flange Float Quantity: **Tube Material:** Glass **Mounting Method:** Direct line **Dial Scale Marking Range:** +0.0/+9.5 Float Type: Free Float Material: Steel, stainless **Integral Heat Source:** Not included **Metering Tube Quantity:** 1 **Maximum Water Capacity In Gallons Per Minute:** 9.5 **Dial Scale Reference Pointer:** Included **Spinning Float:** Not included

**Integral Pulsation Dampener:** Not included

## NSN 6680-01-488-4352

Flow Rate Indicating Meter - Page 2 of 2



nlet Connection Position For Which Designed:
Horizontal
nlet Connection Device Type:
Stationary
Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Stationary
Alarm Signal:
Not included
Special Features:
Packing gland type pressure seals; maximum working pressure @ 100 degrees f: 200 psig; ambient temperature range: 32 degrees f to
40 degrees f
Shelf Life:
√a
Unit Of Measure:
-
Demilitarization:
No.
Filg:
T134-t