## NSN 6680-01-492-4330

Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-492-4330 **Overall Length:** 10.750 inches Media For Which Designed: Chemicals or liquid or water, hot or 0il **Inlet Connection Type:** Threaded **Integral Relief Valve:** Not included **Meter Type:** Pointer connected to vane **Design Type:** Case **Unit Type:** Mounted **Scale Quantity:** Construction: Inclosed w/sight window **Outlet Connection Type:** Threaded **Mounting Method:** Direct line **Carrying Handle:** Not included **Dial Scale Marking Range:** +0.0/+70.0 Base: Not included **Integral Heat Source:** Not included **Maximum Working Pressure:** 150.0 pounds per square inch **Maximum Water Capacity In Gallons Per Minute:** 70.0 **Dial Scale Reference Pointer:** Included **Integral Pulsation Dampener:** Not included **Inlet Connection Position For Which Designed:** 

Horizontal **Inlet Connection Device Type:** Stationary

## NSN 6680-01-492-4330

Flow Rate Indicating Meter - Page 2 of 2



Outlet Connection Position For Which Designed:
Horizontal
Outlet Connection Device Type:
Stationary
Alarm Signal:
Not included
Product Name:
Nutating disc meter
Special Features:
Model 70-1" meter; bronze housing; maximum operating temp: 120 degrees f with 250 degrees f option; approx weight: 12 lbs
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig: