NSN 6680-01-505-3778

Flow Rate Indicating Meter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6680-01-505-3778 **Overall Length:** 9.875 inches Media For Which Designed: Air **Inlet Connection Type:** Threaded **End Application:** Panel tube assembly; asds non-soc retail stock **Integral Relief Valve:** Not included **Meter Type:** Float **Design Type:** Glass **Unit Type:** Mounted **Scale Quantity:** 1 **Outlet Connection Type:** Flange Scale Marking: Standard cubic feet per minute Scale Type: Direct capacity reading Float Quantity: 1 **Tube Material:** Plastic **Mounting Method:** Surface panel **Dial Scale Marking Range:** +1.0/+12.0 **Outlet Connection Size:** 1/2 inch np (male) Float Type: Guided Float Material: Steel, stainless **Guide Type:** Solid rod

Integral Heat Source:
Not included

NSN 6680-01-505-3778

Flow Rate Indicating Meter - Page 2 of 2



Maximum Working Pressure:
150.0 pounds per square inch
Inlet Connection Size:
0.500 inch np (male)
Metering Tube Quantity:
1
Dial Scale Reference Pointer:
Not included
Float Quantity Per Tube:
1
Spinning Float:
Not included
Integral Pulsation Dampener:
Not included
Inlet Connection Position For Which Designed:
Vertical
Outlet Connection Position For Which Designed:
Vertical
Alarm Signal:
Not included
Special Features:
Max operating temp: 116 degrees celsius (inavy) flowmeter
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
T134-t